



<http://sciendy.com>



PRODUCT CATALOG

HANG ZHOU SCIENDY TECHNOLOGY CO.LTD







RFID TAG

SN.	Item No.	Item Name	Picture	Specifications
1	T037	RFID TAG		AM/RFID Chip: ALIEN H 3 Frequency: 58KHz/860~960MHz Protocol: ISO/IEC 18000-6C EPC CLASS 1 GEN 2 User Memo: 512bit EPC Memo: 96bit TID Memo: 64bit Dimension: 62x30x20mm Released by Hand-held Detacher
2	T118D	RFID TAG		RF/RFID Chip: NXP U Code 8 Frequency: 8.2MHz/860~960MHz Protocol: ISO18000-6C, EPC CLASS 1 GEN 2 User Memo: 0bit EPC Memo: 128bit TID Memo: 48bit Dimension: 45x29x14.8mm Cable length: 9cm or bespoke Released by Magnetic Detacher
3	T142	RFID TAG		AM/RFID Chip: M4D Frequency: 58KHz/860~960MHz Protocol: ISO18000-6C EPC CLASS 1 GEN 2 User Memo: 32bit EPC Memo: 128bit TID Memo: 64bit Dimension: 77x30x24mm Released by Magnetic or Hand-held Detacher
4	T150	RFID TAG		AM/RFID Chip: NXP U Code 8/ALIEN H 3 Frequency: 58KHz/860~960MHz Protocol: ISO/IEC 18000-6CEPC CLASS 1 GEN 2/ISO 18000-6C EPC CLASS 1 GEN2 User Memo: 0bit/512bits EPC Memo: 128bit/96bits TID Memo: 48bit/64bits Dimension: 63x30x17mm Released by Hand-held Detacher
5	T150L	RFID TAG		AM/RFID Chip: NXP U Code 8/ALIEN H 3 Frequency: 58KHz/860~960MHz Protocol: ISO/IEC 18000-6CEPC CLASS 1 GEN 2 User Memo: 0bit/512bits EPC Memo: 128bit/96bits TID Memo: 48bit/64bits Dimension: 63x30x17mm Pin: Grooved or smooth pin with 16mm Released by Hand-held Detacher
6	T153	LARGE FLAT PENCIL TAG		AM/RF/RFID Chip: NXP U Code 8 Frequency: 58KHz/8.2MHz/860~960MHz Protocol: ISO18000-6C, EPC CLASS 1 GEN 2 User Memo: 0bit EPC Memo: 128bit TID Memo: 48bit Dimension: 63x20x17mm(2.48x0.78x0.67") Released by Magnetic Detacher
7	T156SE	PINLESS TAG PRO		AM/RF/RFID Chip: NXP U Code 8 Frequency: 58KHz/8.2MHz/860~960MHz Protocol: ISO/IEC 18000-6CEPC CLASS 1 GEN 2 User Memo: 0bit EPC Memo: 128bit TID Memo: 48bit Dimension: 44x52x11mm Released by Magnetic Detacher




ANTENNA

SN.	Item No.	Item Name	Picture	Specifications
1	SD0011	Mono RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 275mm at base Thickness: 20mm; 124mm at base Weight: 20kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: up to 1.6m(5.3ft) Packing: 1CTNS/ 20KGS/ 0.11CBM
2	SD0021	Mono RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 260mm at base Thickness: 20mm; 110mm at base Weight: 20kgs Material: Acrylic Panel/ABS Covers Operating Distance: up to 1.6m(5.3ft) Packing: 1CTNS/ 20KGS/ 0.11CBM
3	SD0031	Mono RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 305mm at base Thickness: 20mm; 130mm at base Weight: 20kgs Material: Acrylic Panel/ABS Covers Operating Distance: up to 1.6m(5.3ft) Packing: 1CTNS/ 20KGS/ 0.11CBM
4	SD0041	Mono RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 305mm at base Thickness: 20mm; 130mm at base Weight: 20kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: up to 1.6m(5.3ft) Packing: 1CTNS/ 20KGS/ 0.11CBM
5	SDRF-820 XM371	Mono RF System		Frequency: 8.2MHz Height: 1530mm Width: 370mm Thickness: 20mm; 130mm at base Weight: 17kgs Material: Aluminum alloy Covers Operating Distance: Up to 1.8m (5.9 ft) Packing: 1CTNS/ 17KGS/ 0.09CBM
11	SDRF-820XAML	Mono RF System		Frequency: 8.2MHz Height: 1530mm Width: 370mm Thickness: 20mm; 130mm at base Weight: 32kgs Material: Aluminum alloy Covers Operating Distance: Up to 1.8m (5.9 ft) Packing: 2CTNS/ 32KGS/ 0.19CBM

ANTENNA

SN.	Item No.	Item Name	Picture	Specifications
6	SD0012	Dual RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 275mm at base Thickness: 20mm; 124mm at base Weight: 38kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: up to 1.6m(5.3ft) Packing: 2CTNS/ 38KGS/ 0.22CBM
7	SD0022	Dual RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 260mm at base Thickness: 20mm; 110mm at base Weight: 38kgs Material: Acrylic Panel/ABS Covers Operating Distance: up to 1.6m(5.3ft) Packing: 2CTNS/ 38KGS/ 0.22CBM
8	SD0032	Dual RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 305mm at base Thickness: 20mm; 130mm at base Weight: 38kgs Material: Acrylic Panel/ABS Covers Operating Distance: up to 1.6m(5.3ft) Packing: 2CTNS/ 38KGS/ 0.22CBM
9	SD0042	Dual RF System		Frequency: 8.2MHz Height: 1560-1570mm/1605mm Width: 340mm; 305mm at base Thickness: 20mm; 130mm at base Weight: 38kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: up to 1.6m(5.3ft) Packing: 2CTNS/ 38KGS/ 0.22CBM
10	SDRF-825XD372	Dual RF System		Frequency: 8.2MHz Height: 1530mm Width: 370mm Thickness: 20mm; 130mm at base Weight: 32kgs Material: Aluminum alloy Covers Operating Distance: Up to 1.8m (5.9 ft) Packing: 2CTNS/ 32KGS/ 0.18CBM
11	SDRF-825XAML	Dual RF System		Frequency: 8.2MHz Height: 1530mm Width: 370mm Thickness: 20mm; 130mm at base Weight: 32kgs Material: Aluminum alloy Covers Operating Distance: Up to 1.8m (5.9 ft) Packing: 2CTNS/ 32KGS/ 0.19CBM


ANTENNA

SN.	Item No.	Item Name	Picture	Specifications
11	SDAM-UPX20	Dual/Mono AM System		Frequency: 58KHz Height: 1530mm Width: 220mm; 220mm at base Thickness: 25mm; 115mm at base Weight: 12kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: Up to 1.6m Packing: 2CTNS/ 28KGS/ 0.12CBM
12	SDAM-UPX40	Dual/Mono AM System		Frequency: 58KHz Height: 1560mm Width: 400mm; 390mm at base Thickness: 25mm; 130mm at base Weight: 39.2kgs Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: Up to 1.8m Packing: 2CTNS/ 44KGS/ 0.22CBM
13	SDAM-UPX50	Dual/Mono AM System		Frequency: 58KHz Height: 1520mm Width: 500mm; 390mm at base Thickness: 25mm; 120mm at base Weight: 37.2kg Material: Acrylic Panel/Aluminum alloy Covers Operating Distance: Up to 2m Packing: 2CTNS/ 43KGS/ 0.26CBM

SELF-ALARM TAG

SN.	Item No.	Item Name	Picture	Specifications
1	T082	SPIDER TAG		Frequency: RF/AM or Dual Dimension: $\Phi 73 \times 53 \text{mm}$ ($\Phi 2.88 \times 2.09''$) Lanyard Length: 4x90mm Color: Black Alarm: 2 Alarm/3Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 100pcs/carton 0.034CBM 10.15kgs
2	T082W	SPIDER TAG		Frequency: RF/AM or Dual Dimension: $\Phi 73 \times 53 \text{mm}$ ($\Phi 2.88 \times 2.09''$) Lanyard Length: 360mm or customized Color: Black Alarm: 2 Alarm/3Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 50pcs/carton 0.019CBM 6.08kgs
3	T114	SPIDER TAG		Frequency: RF/AM or Dual Dimension: $\Phi 48 \times 48 \text{mm}$ ($\Phi 1.89 \times 1.89''$) Lanyard Length: 4x60mm Color: Black Alarm: 2 Alarm/3Alarm Battery: CR2032 Material: ABS Lock: standard/super Packing: 200pcs/carton 0.032CBM 11.65kgs
4	T114W	SPIDER TAG		Frequency: RF/AM or Dual Dimension: $\Phi 48 \times 48 \text{mm}$ ($\Phi 1.89 \times 1.89''$) Lanyard Length: 360mm or customized Color: Black Alarm: 2 Alarm/3Alarm Battery: CR2032 Material: ABS Lock: standard/super Packing: 100pcs/carton 0.014CBM 6.9kgs
7	T063	ALARMING PIN		Frequency: RF/AM or Dual Dimension: $\Phi 44 \times 22 \text{mm}$ ($\Phi 1.73 \times 0.87''$) Color: Black or Gray Alarm: 2 Alarm/3Alarm Battery: CR2032 Material: ABS Lock: standard/super Packing: 500pcs/carton 0.039CBM 11kgs

SELF-ALARM TAG

SN.	Item No.	Item Name	Picture	Specifications
8	T100	CABLELOK		<p>Frequency: RF/AM or Dual Dimension: 79x43x21mm(3.11x1.69x0.83") Lanyard Length: Customized with Φ 1.2/3.1mm Color: Black or Gray Alarm: 2 Alarm/3Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 100pcs/carton 0.032CBM 7.30kgs</p>
9	T101	ALARM RAT		<p>Frequency: RF/AM or Dual Dimension: 66x37x20mm(2.60x1.46x0.79") Lanyard Length: Customized with Φ 1.2/3.1mm Color: Black Alarm: 2 Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 50pcs/carton 0.022CBM 6.9kgs</p>
10	T118	MINI LOOP TAG		<p>Frequency: RF/AM/Customized Dimension: 46x32x15mm(1.81x1.26x0.59") Lanyard Length: 90mm or customized Color: Black or Soft Black Alarm: 2 Alarm/3Alarm Battery: CR2032 Material: ABS Lock: standard/super Packing: 500pcs/carton 0.032CBM 10.6kgs</p>

DETACHER

SN.	Item No.	Item Name	Picture	Specifications
1	D01	Magnetic Detacher		<p>Pull Force: $\geq 160\text{N}, 10,000\text{GS}$ Weight: 426g Dimension: $\Phi 74 \times 36\text{mm}$ ($\Phi 2.9 \times 1.4''$) Color: Sliver Material: Aluminum Packing: 50pcs/ctn 0.019cmb/ctn 15kgs/ctn Product Compatibility: 10Kg lock hard tags</p>
2	D02	Magnetic Detacher		<p>Pull Force: $\geq 170\text{N}, 10,000\text{GS}$ Weight: 450g (15.87 oz.) Dimension: $\Phi 74 \times 36\text{mm}$ ($\Phi 2.9 \times 1.4''$) Color: Sliver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 14.4kgs/ctn Product Compatibility: 10Kg lock hard tags</p>
3	D03	Magnetic Detacher		<p>Pull Force: $\geq 160\text{N}, 10,000\text{GS}$ Weight: 415g (14.64 oz.) Dimension: $\Phi 74 \times 36\text{mm}$ ($\Phi 2.9 \times 1.4''$) Color: Sliver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 13.4kgs/ctn Product Compatibility: Any 10Kg lock hard tags</p>
4	D04	Magnetic Detacher		<p>Pull Force: $\geq 70\text{N}, 4,500\text{GS}$ Weight: 196g (6.91 oz.) Dimension: $\Phi 74 \times 21\text{mm}$ ($\Phi 2.9 \times 0.8''$) Color: Sliver Material: Aluminum Packing: 50pcs/ctn 0.014cmb/ctn 9.85kgs/ctn Product Compatibility: Normal tags only</p>
5	D05	Magnetic Detacher		<p>Pull Force: $\geq 160\text{N}, 10,000\text{GS}$ Weight: 405g (14.29 oz.) Dimension: $\Phi 75 \times 34\text{mm}$ ($\Phi 2.95 \times 1.34''$) Color: Sliver Material: Aluminum Packing: 50pcs/ctn 0.028cmb/ctn 21.30kgs/ctn Product Compatibility: Any 10Kg lock hard tags</p>
6	D06	Magnetic Detacher		<p>Pull Force: $\geq 70\text{N}, 4,500\text{GS}$ Weight: 350g (12.35 oz.) Dimension: $\Phi 75 \times 34\text{mm}$ ($\Phi 2.95 \times 1.34''$) Color: Sliver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 11.5kgs/ctn Product Compatibility: Normal tags only</p>

DETACHER

SN.	Item No.	Item Name	Picture	Specifications
7	D07	Magnetic Detacher		Pull Force: $\geq 70N$, 4,500GS Weight: 770g (27.16 oz.) Dimension: $\Phi 94 \times 30mm$ ($\Phi 3.69 \times 1.18''$) Color: Sliver Material: Aluminum Packing: 20pcs/ctn 0.014cmb/ctn 16.3kgs/ctn Product Compatibility: Normal tags only
8	D08	Magnetic Detacher		Pull Force: $\geq 170N$, 10,000GS Weight: 440g (15.52 oz.) Dimension: $\Phi 74 \times 40mm$ ($\Phi 2.91 \times 1.57''$) Color: Sliver Material: Aluminum Packing: 40pcs/ctn 0.02cmb/ctn 18.5kgs/ctn Product Compatibility: 10Kg lock hard tags
9	D09	Magnetic Detacher		Pull Force: $\geq 170N$, 10,000GS Weight: 450g (15.87 oz.) Dimension: $\Phi 74 \times 40mm$ ($\Phi 2.91 \times 1.57''$) Color: Sliver Material: Aluminum Packing: 40pcs/ctn 0.02cmb/ctn 18.9kgs/ctn Product Compatibility: 10Kg lock hard tags
10	D10	Magnetic Detacher		Pull Force: $\geq 170N$, 10,000GS Weight: 430g (15.87 oz.) Dimension: $\Phi 74 \times 40mm$ ($\Phi 2.91 \times 1.57''$) Color: Sliver Material: Aluminum Packing: 40pcs/ctn 0.02cmb/ctn 18.1kgs/ctn Product Compatibility: 10Kg lock hard tags
11	D11	Magnetic Detacher		Pull Force: $\geq 160N$, 10,000GS Weight: 400g (14.11 oz.) Dimension: $\Phi 74 \times 40mm$ ($\Phi 2.92 \times 1.58''$) Color: Sliver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 12.9kgs/ctn Product Compatibility: Any 10Kg lock hard tags
12	D12	Magnetic Detacher		Pull Force: $\geq 98N$, 7,500GS Weight: 172g (6.07 oz.) Dimension: $\Phi 43 \times 37mm$ ($\Phi 1.69 \times 1.46''$) Color: Sliver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 6.7kgs/ctn Product Compatibility: Normal tags only

DETACHER

SN.	Item No.	Item Name	Picture	Specifications
13	D13	Magnetic Detacher		Pull Force: $\geq 98\text{N}$, 7,500GS Weight: 162g (5.71 oz.) Dimension: $\Phi 43 \times 37\text{mm}$ ($\Phi 1.69 \times 1.46''$) Color: Silver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 5.8kgs/ctn Product Compatibility: Normal tags only
14	D15	Magnetic Detacher		Pull Force: $\geq 290\text{N}$, 16,000GS Weight: 410g (14.33 oz.) Dimension: $\Phi 63 \times 38\text{mm}$ ($\Phi 2.48 \times 1.5''$) Color: Silver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 13.65kgs/ctn Product Compatibility: 16Kg lock hard tags
15	D16	Magnetic Detacher		Pull Force: $\geq 290\text{N}$, 16,000GS Weight: 420g (14.78 oz.) Dimension: $\Phi 63 \times 38\text{mm}$ ($\Phi 2.48 \times 1.5''$) Color: Silver Material: Aluminum Packing: 30pcs/ctn 0.014cmb/ctn 13.95kgs/ctn Product Compatibility: 16Kg lock hard tags
16	D17	Magnetic Detacher		Pull Force: $\geq 300\text{N}$, 18,000GS Weight: 750g (26.4 oz.) Dimension: $\Phi 88 \times 52\text{mm}$ ($\Phi 3.46 \times 2.05''$) Color: Silver Material: Aluminum Packing: 20pcs/ctn 0.014cmb/ctn 16.3kgs/ctn Product Compatibility: Any 18Kg lock hard tags
17	D18	Magnetic Detacher		Pull Force: $\geq 300\text{N}$, 18,000GS Weight: 760g (26.76 oz.) Dimension: $\Phi 90 \times 50\text{mm}$ ($\Phi 3.54 \times 1.97''$) Color: Silver Material: Aluminum Packing: 20pcs/ctn 0.014cmb/ctn 16.9kgs/ctn Product Compatibility: Any 18Kg lock hard tags
18	D19	Magnetic Detacher		Pull Force: $\geq 170\text{N}$, 12,000GS Dimension: $\Phi 79 \times 64\text{mm}$ ($\Phi 3.11 \times 2.52''$) Color: Black Material: Plastic Packing: 25pcs/ctn 0.022cmb/ctn 9.20kgs/ctn Product Compatibility: Any 12Kg lock hard tags

DETACHER

SN.	Item No.	Item Name	Picture	Specifications
19	D20	Magnetic Detacher		Pull Force: $\geq 250\text{N}$, 14,000GS Color: Sliver Material: Aluminum Packing: 25pcs/ctn 0.014cmb/ctn 12.15kgs/ctn Product Compatibility: Any 14Kg lock hard tags
20	D23	Magnetic Detacher		Pull Force: $\geq 290\text{N}$, 16,000GS Color: Sliver Material: Aluminum Packing: 25pcs/ctn 0.014cmb/ctn 22.05kgs/ctn Product Compatibility: Any 16Kg lock hard tags
21	D24	Magnetic Detacher		Pull Force: $\geq 290\text{N}$, 16,000GS Color: Sliver Material: Aluminum Packing: 25pcs/ctn 0.014cmb/ctn 30.5kgs/ctn Product Compatibility: Any 16Kg lock hard tags
22	D25	Magnetic Detacher		Pull Force: $\geq 200\text{N}$, 12,000GS Color: Sliver Material: Aluminum Packing: 25pcs/ctn 0.022cmb/ctn 23.25kgs/ctn Product Compatibility: Any 12Kg lock hard tags
23	PD-01	Magnetic Detacher		Sales by country and region
24	PD-02	Magnetic Detacher		Sales by country and region

DETACHER

SN.	Item No.	Item Name	Picture	Specifications
25	PD-03	Magnetic Detacher		Sales by country and region
26	HD-01	Handhold Detacher		Dimension: 190mm× 80× 70mm (7.49× 3.15× 2.76") Weight: 400g Material: ABS Packing: 10pcs/ctn 0.036cmb 5.1kgs/ctn
27	HD-04	Hand Detacher		Sales by country and region
28	PHD-01	Hand Detacher		Sales by country and region
29	PHD-02	Hand Detacher		Sales by country and region
30	K01	Optical Tag Detacher		Frequency: 58KHz / 8.2MHz Dimension: 95× 15mm (3.74× 0.59") Color: Gray or customized Product Compatibility: Optical tags only

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
1	T001	R50		<p>Frequency: RF Dimension: $\varnothing 50\text{mm}(1.96\text{'})$ Color: Beige, Black, or Grey Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.037CBM 10.95kgs</p>
2	T002	MINI OVNI		<p>Frequency: RF Dimension: $\varnothing 42 \times 21\text{mm}(\varnothing 1.7 \times 0.8\text{'})$ Color: Black, or Grey Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.032CBM 9.15kgs</p>
3	T003	MINI PENCIL		<p>Frequency: RF/AM Dimension: $46 \times 13 \times 18\text{mm}$ (1.8x0.51x0.63") Color: Black, or Grey Pin: P01, P01-Y & other compatible pins Packing: 1000pcs/carton 0.014CBM 9.45kgs</p>
4	T004	R50		<p>Frequency: RF Dimension: $\varnothing 42 \times 18.4\text{mm}(\varnothing 1.65 \times 0.72\text{'})$ Color: White, or Grey Pin: P01 & other compatible pins Packing: 1000pcs/carton 0.032CBM 9.85kgs</p>
5	T005	MINI PENCIL		<p>Frequency: RF/AM Dimension: $40 \times 13 \times 19\text{mm}$ (1.6x0.5x0.6") Color: Grey, Beige Pin: P05, P05-Y & other compatible pins Packing: 1500pcs/carton 0.019CBM 11.25kgs</p>
6	T006	LARGE SQUARE		<p>Frequency: RF Dimension: $70 \times 58 \times 18\text{mm}(2.8 \times 2.3 \times 0.7\text{'})$ Color: Black, or Grey Pin: P04-Y, P05-Y & other compatible pins Packing: 500pcs/carton 0.031CBM 8.6kgs</p>

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
7	T007	MICRO AURA		Frequency: RF Dimension: $\phi 45\text{mm}(\phi 1.77\text{'})$ Color: White or Beige Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.032CBM 9.75kgs
8	T008	MINI TAG		Frequency: RF Dimension: 48x42mm(1.89x1.65") Color: Black, Beige or Grey Pin: P01 & other compatible pins Packing: 1000pcs/carton 0.032CBM 9.55kgs
9	T010	MINI UFO		Frequency: RF Dimension: $\phi 48 \times 20\text{mm}(\phi 2.0 \times 0.7\text{'})$ Color: White or Gray Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.032CBM 11.8kgs
10	T011	BLISTER TAG		Frequency: RF/AM Dimension: 55x55x20mm(2.2x2.2x0.8") Color: White, Gray or customized Pin: own pin Packing: 500pcs/carton 0.034CBM 10.6kgs
11	T012	MINI DOME		Frequency: RF/AM Dimension: $\phi 54\text{mm}(2.13\text{'})$ Color: White, Gray, Beige or Black Pin: P05 & other compatible pins Packing: 500pcs/carton 0.032CBM 8.86kgs
12	T013			Frequency: RF Dimension: 39X19X15mm (1.54X0.75X0.59") Color: White or customized Packing: 1000pcs/carton 0.019CBM 8.05kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
13	T014	FLAT PENCIL		Frequency: RF/AM Dimension: 53x15x18mm (2.1x0.6x0.67") Color: Grey or customized Pin: P10 & other compatible pins Packing: 2000pcs/carton 0.03CBM 17.4kgs
14	T015	NEW R50		Frequency: RF Dimension: 50x18mm (2.00x0.70") Color: Black, Beige or Customized Pin: P01, P03, P04, P05 Packing: 1000pcs/carton 0.04CBM 10.85kgs
15	T016	GOLF		Frequency: RF/AM Dimension: ϕ 63mm(2.48") Color: White or Black Pin: P05 & other compatible pins Packing: 500pcs/carton 0.037CBM 11.58kgs
16	T017	VST-R/VST-V		Frequency: AM Dimension: 62x31x19mm Color: Black or customized Pin: P16 Packing: 1000pcs/carton 0.032CBM 8.57kgs
17	T018	GRIFFE		Frequency: RF/AM Dimension: ϕ 50x20mm(1.97x0.79") Color: White, Transparent, Gray or Black Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.038CBM 12.89kgs
18	T019	MINI GRIFFE		Frequency: RF/AM Dimension: ϕ 40x22mm(1.57x0.87") Color: Gray or Black Pin: own pin Packing: 1000pcs/carton 0.034CBM 11.95kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
19	T020	SQUARE		Frequency: RF/AM Dimension: 53x25x18mm(2.09x0.99x0.71") Color: Gray, Black or Customized Pin: P10 Packing: 1000pcs/carton 0.023CBM 8.7kgs
20	T021			Frequency: RF/AM Dimension: 49x30x19mm(1.93x1.18x0.75") Color: Gray, Black or Customized Pin: P10
21	T022	MINI GOLF		Frequency: RF/AM Dimension: $\phi 45 * 22\text{mm}(\phi 1.77 \times 0.87\text{'})$ Color: White, Gray or Black Pin: own pin Packing: 1000pcs/carton 0.036CBM 14.25kgs
22	T023	R50		Frequency: RF Dimension: $\phi 58 \times 17.5\text{mm}(\phi 2.28 \times 0.69\text{'})$ Color: White, Grey or Customized Pin: P01 & other compatible pins Packing: 1000pcs/carton 0.041CBM 13.1kgs
23	T024	STEM		Frequency: RF/AM Dimension: 25x23mm (0.99x0.91") Color: Black, Grey, or Customized Pin: P01 & other compatible pins Packing: 1000pcs/carton 0.013CBM 7.3kgs
24	T025	STOP LOCK		Frequency: RF Dimension: 39X19X15mm (1.54X0.75X0.59") Color: White or Customized Packing: 2000pcs/carton 0.019CBM 8.2kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
25	T026	PENCIL		Frequency: RF/AM Dimension: 51x13mm (2.0x0.51") Color: White Pin: P05, P05-Y & other compatible pins Packing: 1000pcs/carton 0.019CBM 10.35kgs
26	T027			Frequency: RF Dimension: 42x23mm (1.65x0.90") Color: Gray or customized Pin: own pin Packing: 1000pcs/carton 0.032CBM 10.7kgs
27	T029			Frequency: AM or Customized Dimension: 55x61x33mm (2.00x2.40x1.29") Color: Gray or customized Packing: 250pcs/carton 0.034CBM 9.3kgs
28	T031	TEARDROP		Frequency: RF/AM or Customized Dimension: 54.8x20.4mm (2.16x0.80") Color: White or customized Packing: 1000pcs/carton 0.034CBM 14.5kgs
29	T034			Frequency: NO Dimension: 145x17x5mm (2.16x0.67x0.19") Color: Red or customized Packing: 1000pcs/carton 0.032CBM 6.85kgs
30	T035	ALPHA		Frequency: RF/AM Dimension: φ65mm(2.56") Color: White or Gray Pin: P05 & other compatible pins Packing: 500pcs/carton 0.037CBM 11.58kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
31	T038	MICKY TAG		Frequency: RF/AM Dimension: 55x13x23mm (2.17x0.51x0.91") Color: Black, gray or customized lanyard: 90mm or customized Packing: 1000pcs/carton 0.022CBM 11.3kgs
32	T039	CONE CLUTCH		Frequency: RF Dimension: ϕ 42x22mm (ϕ 1.65x0.87") Color: Black or customized Pin: P06 Packing: 1000pcs/carton 0.022CBM 11.3kgs
33	T040			Frequency: RF/AM Dimension: 55x13 x 23mm(2.17x0.51 x0.91") Color: Black, gray or customized lanyard: 60mm, 80mm, 90mm, 310mm Packing: 1000pcs/carton 0.014CBM 7.65kgs
34	T041	UNIVERSAL TAG		Frequency: RF/AM Dimension: 44x13x23mm (1.73x0.51x0.91") Color: Black, Beige, Grey, Yellow lanyard: 90mm or customized Packing: 1000pcs/carton 0.022CBM 10.8kgs
35	T042			Frequency: RF Dimension: ϕ 50x20mm (ϕ 1.97x0.79") Color: White, gray or customized Pin: P15 Packing: 1000pcs/carton 0.041CBM 12.35kgs
36	T043			Sales by country and region

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
37	T044	Super Tag II		Frequency: RF/AM or customized Dimension: 84x30x19mm (3.31x1.18x0.75") Color: Gray or customized Pin: P06-F Packing: 1000pcs/carton 0.043CBM 16.02kgs
38	T045			Frequency: RF or customized Dimension: 55x13 x 23mm(2.17x0.51 x0.91") Color: Gray or customized Packing: 1000pcs/carton 0.014CBM 5.76kgs
39	T046			Frequency: RF/AM or customized Dimension: 50x13x20mm (2.01x0.51x0.79") Color: Black, gray or customized lanyard: 90mm or customized Packing: 1000pcs/carton 0.019CBM 8.0kgs
40	T047	Maxi Ovni		Frequency: RF Dimension: $\phi 63 \times 24 \text{mm}$ ($\phi 2.48 \times 0.95$ ") Color: White, Gray or Black Pin: P05 & other compatible pins Packing: 500pcs/carton 0.032CBM 7.55kgs
41	T048			Frequency: AM or customized Dimension: 70x30x20mm (2.76x1.18x0.79") Color: Gray or customized lanyard: 90mm or customized Packing: 1000pcs/carton 0.043CBM 12.45kgs
42	T050			Sales by country and region

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
43	T051	GRIFF INK		Frequency: RF/AM Dimension: $\varnothing 57\text{mm}(\varnothing 2.25\text{'})$ Color: Transparent or customized Ink color: Red, yellow and blue Packing: 500pcs/carton 0.037CBM 10.15kgs
44	T052	NIPPLE CLUTCH		Frequency: 58KHz/8.2MHz/Customize Dimension: $\Phi 19 \times 17\text{mm}(0.75 \times 0.67\text{'})$ Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 2500pcs/carton 0.014cmb 9.7kgs Released by Magnetic Detacher
45	T053	OSTRA D50		Frequency: RF Dimension: $\varnothing 52 \times 22\text{mm}(\varnothing 2.05 \times 0.87\text{'})$ Color: Beige, White or Gray Pin: own pin Packing: 1000pcs/carton 0.037CBM 11.15kgs
46	T055			Frequency: RF/AM Dimension: 50x13x20mm Color: Yellow or customized Pin: P05, P05-Y & other compatible pins Packing: 2000pcs/carton 0.034CBM 18.2kgs
47	T056	SUPER TAG MINI		Frequency: RF/AM Dimension: 54x30x19mm (2.13x1.18x0.75") Color: Gray or customized Pin: P06-F & other compatible pins Packing: 1000pcs/carton 0.032CBM 12.5kgs
48	T058			Frequency: RF/AM Dimension: 62x31x19mm (2.48x1.22x0.75") Color: Black or customized Pin: P06-F & other compatible pins Packing: 1000pcs/carton 0.032CBM 8.57kgs




HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
49	T059	ULTRA CATOR		Frequency: RF/AM Dimension: 90x28x16mm (3.54x1.10x0.63") Color: Beige or customized Pin: P06-F, P14-F Packing: 1000pcs/carton 0.043CBM 11.78kgs
50	T060			Frequency: AM Dimension: 52x13x5mm (2.05x0.51x0.20") Color: Grey or customized Packing: 5000pcs/carton 0.032CBM 14.86kgs
51	T061			Sales by country and region
52	T062			Frequency: AM Dimension: 64x15x7mm (2.52x0.59x0.28") Color: Black or customized Packing: 2000pcs/carton 0.034CBM 10.17kgs
53	T064	SUPER TAG COMBO		Frequency: RF/AM Dimension: 88x30x19mm (3.46x1.18x0.75") Color: Gray or customized Pin: P06-F Packing: 1000pcs/carton 0.045CBM 15.45kgs
54	T065			Frequency: RF Dimension: 52x43mm(2.05x1.70") Color: Black, or Grey Lanyard: 90mm or customized Packing: 1000pcs/carton 0.038CBM 11.5kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
55	T066	AURA		Frequency: RF Dimension: $\phi 63 \times 23 \text{mm}$ ($\phi 2.48 \times 0.91$ ") Color: White or Black Pin: P05 & other compatible pins Packing: 500pcs/carton 0.034CBM 8.58kgs
56	T067			Sales by country and region
57	T068			Frequency: AM Dimension: $64 \times 15 \times 15 \text{mm}$ ($2.52 \times 0.60 \times 0.60$ ") Color: White or customized Packing: 2500pcs/carton 0.036CBM 12.89kgs
58	T069	DELTA TAG		Frequency: RF Dimension: $\phi 52 \times 21 \text{mm}$ ($\phi 2.05 \times 0.83$ ") Color: White or customized Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.038CBM 11.25kgs
59	T070	RAMBO TAG		Frequency: AM Dimension: $69 \times 26 \times 21 \text{mm}$ ($2.72 \times 1.02 \times 0.83$ ") Color: White or customized Pin: P01 & other compatible pins Packing: 1000pcs/carton 0.032CBM 12.8kgs
60	T071	MINI DELTA TAG		Frequency: AM Dimension: $31 \times 18 \times 32 \text{mm}$ ($1.22 \times 0.71 \times 1.26$ ") Color: Gray or customized Pin: P06-F Packing: 1000pcs/carton 0.014CBM 9.8kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
61	T072	MINI CLUTCH		Frequency: RF Dimension: 50x28x16mm(1.97x1.1x0.63") Color: Gray or customized Pin: P06-F, P14-F Packing: 1000pcs/carton 0.019CBM 6.1kgs
62	T073			Sales by country and region
63	T074	INTERNAL LOCK		Frequency: NO Dimension: $\Phi 21 \times 13 \text{mm}$ ($\Phi 0.83 \times 0.51$ "") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 2500pcs/carton 0.014cmb 9.6kgs Released by Magnetic Detacher
64	T075			Sales by country and region
65	T076			Sales by country and region
66	T077	MINI PEAR		Frequency: RF Dimension: 66x48x20mm(2.58x1.88x0.78") Lock: standard/super Color: Black or customized Packing: 500pcs/carton 0.032CBM 7.3kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
67	T078	BIG PEAR		Frequency: RF Dimension: 83x63x20mm(3.25x2.47x0.78") Lock: standard/super Color: Black or customized Packing: 500pcs/carton 0.032CBM 9.8kgs
68	T079	PENCIL		Frequency: RF/AM Dimension: 46x12.65x18mm (1.81x0.49x0.71") Lock: standard/super Color: Black, Grey or customized Packing: 1000pcs/carton 0.192CBM 8.55kgs
69	T080	PENCIL		Frequency: RF/AM Dimension: 50x13x20mm(1.96x0.51x0.78") Lock: standard/super Color: White or customized Pin: P05, P05-Y Packing: 1000pcs/carton 0.019CBM 9.07kgs
70	T081	SUPER TAG VST		Frequency: AM Dimension: 58x31x18mm(2.27x1.18x0.70") Lock: standard/super Color: White or customized Pin: P16 Packing: 1000pcs/carton 0.032CBM 8.15kgs
71	T082	SPIDER TAG		Frequency: RF/AM or Dual Dimension: Φ73X53mm(Φ 2.88X2.09") Lanyard Length: 4x90mm Color: Black Alarm: 2 Alarm/3Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 100pcs/carton 0.034CBM 10.15kgs





HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
72	T082W	SPIDER TAG		<p>Frequency: RF/AM or Dual</p> <p>Dimension: Φ73X53mm(Φ 2.88X2.09")</p> <p>Lanyard Length:360mm or customized</p> <p>Color: Black</p> <p>Alarm: 2 Alarm/3Alarm</p> <p>Battery: CR2450</p> <p>Material:ABS</p> <p>Lock:standard/super</p> <p>Packing: 50pcs/carton 0.019CBM 6.08kgs</p>
73	T083	ULTRA GATOR		<p>Frequency: AM</p> <p>Lock: standard/super</p> <p>Dimension: 96x23x16mm(3.76x0.90x0.63")kcoL</p> <p>Color: White or customized</p> <p>Packing: 1000pcs/carton 0.043CBM 11.7kgs</p>
74	T084	R30 TAG		<p>Frequency: RF</p> <p>Dimension: φ30x23mm(φ1.18x0.91")</p> <p>Lock: standard/super</p> <p>Color: Black or customized</p> <p>Packing: 1000pcs/carton 0.022CBM 9.5kgs</p>
75	T085			Sales by country and region
76	T086			<p>Frequency: RF/AM or customized</p> <p>Dimension: 34x23x20mm(1.34x0.91x0.79")</p> <p>Lock: standard/super</p> <p>Color: Black or customized</p> <p>Packing: 500pcs/carton 0.032CBM 9.4kgs</p>

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
77	T087			Frequency: RF/AM or customized Dimension: 39x30x19mm(1.54x1.18x0.75") Lock: standard/super Color: Black or customized Packing: 1000pcs/carton 0.028CBM 13.80kgs
78	T088	D50 TAG		Frequency: RF or customized Dimension: φ55mm(φ2.16") Lock: standard/super Color: Black or customized Packing: 500pcs/carton 0.032CBM 9.85kgs
79	T089	D40 TAG		Frequency: RF or customized Dimension: φ40mm(φ1.57") Lock: standard/super Color: Black or customized Packing: 1000pcs/carton 0.039CBM 14kgs
80	T090	SCAN TAG		Frequency: RF or customized Dimension: 52x43mm(2.05x1.69") Lock: standard/super Color: Black or customized Pin: P01 Packing: 1000pcs/carton 0.032CBM 9.2kgs
81	T091	NEW DELTA TAG		Frequency: AM or customized Dimension: 58x25mm(2.05x0.98") Lock: standard/super Color: White or customized Packing: 500pcs/carton 0.04CBM 8.44kgs
82	T092	CLUB TAG		Frequency: RF/AM or customized Dimension: 52x34x28mm(2.05x1.34x1.10") Lock: standard/super Color: Black or customized Packing: 500pcs/carton 0.034CBM 12.1kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
83	T093			Sales by country and region
84	T094	SUPER PENCIL TAG		Frequency: RF/AM or customized Lock: standard/super Dimension: 61x15x20mm (2.4x0.59x0.79") Color: Gray, beige or customized Pin: P05, P05-Y Packing: 1000pcs/carton 0.023CBM 12.95kgs
85	T095	CLUTCH		Frequency: NO Lock: standard/super Dimension: $\phi 27 \times 18.5 \text{mm}$ ($\phi 1.06 \times 0.73$ ") Color: Beige or customized Packing: 2000pcs/carton 0.022CBM 9.4kgs
86	T096			Sales by country and region
87	T097			Frequency: AM or customized Dimension: 73.5x12.4x18.2mm (2.87x0.49x0.72") Lock: standard/super Color: Gray or customized Pin: P10-F & other compatible pins Packing: 1000pcs/carton 0.028CBM 16.10kgs
88	T098			Frequency: RF Color: White or customized Pin: P01, P06-F Packing: 1000pcs/carton 0.039CBM

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
89	T099	S40 TAG		<p>Frequency: AM or customized Dimension: $\phi 42 \times 16.5 \text{mm}$ ($\phi 1.65 \times 0.65$") Lock: standard/super Color: White or customized Pin: P10-F & other compatible pins Packing: 1000pcs/carton 0.032CBM 14kgs</p>
90	T100	CABLELOK		<p>Frequency: RF/AM or Dual Dimension: $79 \times 43 \times 21 \text{mm}$ ($3.11 \times 1.69 \times 0.83$") Lanyard Length: Customized with $\Phi 1.2/3.1 \text{mm}$ Color: Black or Gray Alarm: 2 Alarm/3Alarm Battery: CR2450 Material: ABS Lock: standard/super Packing: 100pcs/carton 0.032CBM 7.30kgs</p>
91	T105	PEGLOCK		<p>Frequency: RF or customized Dimension: $39 \times 19 \times 15 \text{mm}$ ($1.53 \times 0.75 \times 0.59$") Lock: standard/super Color: White, Black, Red or customized Packing: 1000pcs/carton 0.019CBM 8.15kgs</p>
92	T106			<p>Frequency: AM Dimension: $70 \times 30 \times 20 \text{mm}$ ($2.76 \times 1.18 \times 0.79$") Lock: standard/super Color: White, Black, Red or customized Packing: 1000pcs/carton 0.034CBM 10.29kgs</p>
93	T107	NEW DELTA TAG		<p>Frequency: RF Dimension: $\phi 58 \times 25 \text{mm}$ (2.29×0.99") Lock: standard/super Color: Beige or customized Packing: 500pcs/carton 0.04CBM 6.7kgs</p>

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
94	T108	SUNFLOWER		<p>Frequency: RF/AM or customized Dimension: φ50X18mm (φ1.97X0.71") Lock: standard/super Color: Orange or customized Packing: 1000pcs/carton 0.039CBM 11.15kgs</p>
95	T110	MICROWAVE TAG		<p>Frequency: RF or customized Dimension: 70x30x16mm (2.76x1.18x0.63") Lock: standard/super Color: Black, Grey, White or customized Packing: 1000pcs/carton 0.022CBM 6kgs</p>
96	T111	G-HANG TAG		<p>Frequency: RF or customized Dimension: 34x34x5mm(1.34x1.34x0.20") Lock: standard/super Color: Black, Grey, White or customized Packing: 1000pcs/carton 0.014CBM 3.8kgs</p>
97	T113			<p>Frequency: RF or customized Dimension: 135x55x8mm(5.31x2.16x0.31") Lock: standard/super Color: Black, Grey, White or customized Packing: 250pcs/carton 0.032CBM 8.25kgs</p>
98	T116	NEW NAPOLEON		<p>Frequency: RF/AM or customized Dimension: 38X32X20mm(1.50x1.26x0.79") Lock: standard/super Color: Black, Grey, White or customized Packing: 1000pcs/carton 0.032CBM 9.55kgs</p>
99	T117	MINI TUF		<p>Frequency: RF/AM or customized Dimension: 26X25X24mm (1.02X0.98X0.98 ") Lock: standard/super Color: Black, Grey, White or customized Packing: 1000pcs/carton 0.022CBM 10.15kgs</p>




HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
100	T119	TUF		Frequency: RF/AM or customized Dimension: 32x30x24mm (1.26x1.18x0.95") Lock: standard/super Color: Black, Grey, White or customized Packing: 1000pcs/carton 0.034CBM 11.6kgs
101	T120			Sales by country and region
102	T122			Frequency: NO Lock: standard/super Dimension: φ20x17mm (φ 0.78x0.67") Color: Grey or customized
103	T123	SQUARE TAG		Frequency: RF or customized Dimension: 52x42x19mm(2.05x1.65x0.75") Lock: standard/super Color: Black, Grey, White or customized Pin: P01-Y & other compatible pins Packing: 1000pcs/carton 0.054CBM 11.65kgs
104	T124	PENCIL TAG		Frequency: RF/AM or customized Dimension: 53x20x12mm (2.08x0.79x0.47") Color: Beige or customized Lanyard: 20mm or customized Packing: 1000pcs/carton 0.028CBM 13.5kgs
105	T126	NEW GOLF INK TAG		Frequency: RF or customized Color: Transparent or customized Ink color: Red, yellow and blue Pin: own pin Packing: 500pcs/carton 0.031CBM 11.4kgs

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
106	T127	ROUND TAG		<p>Frequency: RF or customized Dimension: $\phi 67 \times 20 \text{mm}$ ($\phi 2.64 \times 0.79''$) Color: Green, or customized Pin: P05 & other compatible pins</p>
107	T128			Sales by country and region
108	T129			<p>Frequency: RF or customized Dimension: $69 \times 43 \times 27 \text{mm}$ ($2.71 \times 1.69 \times 1.06''$) Color: Black, Beige, or customized Packing: 500pcs/carton 0.043CBM 13.7kgs</p>
109	T130			<p>Frequency: RF or customized Dimension: $44 \times 14 \times 13 \text{mm}$ ($1.73 \times 0.55 \times 0.51''$) Color: Black, Beige, or customized Packing: 1000pcs/carton 0.013CBM 7.1kgs</p>
110	T131			<p>Frequency: RF or customized Dimension: $36 \times 21 \times 15 \text{mm}$ ($1.42 \times 0.83 \times 0.59''$) Color: Black, Beige, or customized Packing: 1000pcs/carton 0.032CBM 10.29kgs</p>
111	T132			<p>Frequency: RF or customized Dimension: $52 \times 43 \times 19 \text{mm}$ ($2.05 \times 1.70 \times 0.75''$) Color: Black, Beige, or customized Pin: P05 & other compatible pins Packing: 1000pcs/carton 0.032CBM 10.29kgs</p>



HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
112	T133			Frequency: NO Dimension: 44x31x19mm (1.7x1.22x0.75") Color: Grey or customized Packing: 1000pcs/carton 0.028CBM 11.65kgs
113	T134			Frequency: NO Dimension: φ50x18mm(φ1.97x0.71") Color: Grey or customized
114	T137			Sales by country and region
115	T138			Sales by country and region
116	T139			Sales by country and region
117	T140			Sales by country and region

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
118	T141			<p>Frequency: RF or customized Dimension: 69x29x19mm (2.71x1.14x0.75") Color: Grey or customized</p>
119	T143			<p>Frequency: RF or customized Dimension: 48x25x19mm (1.88x0.98x0.75") Color: Black or customized Packing: 1000pcs/carton 0.028CBM 14.45kgs</p>
120	T144			Sales by country and region
121	T145			<p>Frequency: RF or customized Dimension: 31x31x18mm (1.22x1.22x0.71") Color: Black or customized Packing: 1000pcs/carton 0.016CBM 8.85kgs</p>
122	T146			<p>Frequency: AM or customized Dimension: 48x29x18mm (1.89x1.41x0.71") Color: Black or customized Packing: 1000pcs/carton 0.039CBM 6.00kgs</p>
123	T147			Sales by country and region

HARD TAG

SN.	Item No.	Item Name	Picture	Specifications
124	T148			Sales by country and region
125	T149			Frequency: AM or customized Dimension: φ90x15mm (φ3.54x0.59") Color: Black or customized Packing: 1000pcs/carton 0.032CBM 7.65kgs
126	T151			Sales by country and region
127	T152			Frequency: RF/AM Dimension: 46x13x18mm (1.8x0.51x0.63") Color: Gray or customized Pin: P06 & other compatible pins Packing: 1000pcs/carton 0.037CBM 13.25kgs

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
1	I001	INK TAG		Use with other tags Frequency: NO Dimension: 43x27x11mm(1.69x1.06x0.43") Color: Gray/White or Customize Lock: depends on the matching tag Packing: 1000pcs/carton 0.022cmb 5.95kgs The releas mode depends on the matching tag
2	I002	INK TAG		Sales by country and region
3	I003	INK TAG		Use with other tags Frequency: NO Dimension: 48x28x13mm(1.66x0.99x0.63") Color: Gray/White or Customize Lock: depends on the matching tag Packing: 1000pcs/carton 0.022cmb 5.7kgs The releas mode depends on the matching tag
4	I004	INK TAG		AM&RF Use with other tags Frequency: :58KHz/8.2MHz/Customize Dimension: Φ 42x11mm(Φ1.66x0.43") Color: Gray/White or Customize Lock: depends on the matching tag Packing: 1000pcs/carton 0.038cmb 11.7kgs The releas mode depends on the matching tag
5	I005	INK TAG		Use with other tags Frequency: NO Dimension: 48x25x16mm(1.89x0.99x0.63") Color: Gray/White or Customize Lock: depends on the matching tag Packing: 1000pcs/carton 0.022cmb 7.3kgs The releas mode depends on the matching tag

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
6	I006	INK TAG		<p>Use with other tags Frequency: NO Dimension: Φ25x9mm(Φ0.99x0.36") Color: Gray/White or Customize Lock:depends on the matching tag Packing:1000pcs/carton 0.014cmb 4.75kgs The releas mode depends on the matching tag</p>
7	I007	INK TAG		<p>Use with other tags Frequency: NO Dimension: 45x25x13mm(1.66x0.99x0.51") Color: Gray/White or Customize Lock:depends on the matching tag Packing:1000pcs/carton 0.022cmb 8.05kgs The releas mode depends on the matching tag</p>
8	I008	INK TAG		<p>Use with other tags Frequency: NO Dimension: 43x27x11mm(1.69x1.06x0.43") Color: Gray/White or Customize Lock:Standard or Super Packing:1000pcs/carton 0.022cmb 6.71kgs The releas mode depends on the matching tag</p>
9	I009	INK TAG		<p>Use with other tags Frequency: NO Dimension: 43x27x12mm(1.69x1.06x0.47") Color: Gray/White or Customize Lock:Standard or Super Packing:1000pcs/carton 0.02cmb 6.9kgs The releas mode depends on the matching tag</p>
10	I010	INK TAG		<p>Use with other tags Frequency: NO Dimension: 56x27x12mm(2.20x1.06x0.47") Color: Gray/White or Customize Lock:Standard or Super Packing:1000pcs/carton 0.043cmb 10.6kgs The releas mode depends on the matching tag</p>

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
11	I011	INK TAG		Use with other tags Frequency: NO Dimension: Φ20x10.4mm(Φ0.79x0.42") Color: Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.014cmb 4.85kgs <i>The releas mode depends on the matching tag</i>
12	I012	INK TAG		Use with other tags Frequency: NO Dimension: Φ42x9mm(Φ1.65x0.35") Color: Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.023cmb 8.35kgs <i>The releas mode depends on the matching tag</i>
13	I013	INK TAG		Use with other tags Frequency: NO Dimension: 40x24x12mm(1.57x0.94x0.47") Color: Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.022cmb 5.6kgs <i>The releas mode depends on the matching tag</i>
15	T009	C50		RF Frequency: 8.2MHZ Dimension: Φ50x27mm(Φ1.95x1.06") Color: Gray/Beige or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.039cmb 11.2kgs <i>Released by Magnetic Detacher</i>
16	T009P	INK PIN SHELL		Use with T009 Frequency: NO Dimension: Φ50x27mm(Φ1.95x1.06") Color: Black/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.039cmb 11.2kgs <i>The releas mode depends on the T009 tag</i>
17	T028	INK TAG		AM&RF Frequency: 58KHz/8.2MHZ/Customize Dimension: 38x32x18.5mm(1.48x1.24x0.83") Color: GRAY/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.022cmb 10.4kgs <i>Released by Magnetic Detacher</i>

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
19	T049	DOME INK		Use with other tag Frequency: AM/RF Dimension: Φ54mm(2.13") Color: BLACK/White or Customize Lock: Standard or Super Packing: 500pcs/carton 0.032cmb 11.12kgs Released by Magnetic Detacher
20	T051	GRIFF INK		RF Frequency: 8.2MHz/Customize Dimension: 51x21mm(2.01x0.83") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 500pcs/carton 0.037cmb 10.15kgs Released by Magnetic Detacher
21	T052	NIPPLE CLUTCH		AM Frequency: 58KHz/8.2MHz/Customize Dimension: Φ19x17mm(0.75x0.67") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 2500pcs/carton 0.014cmb 9.7kgs Released by Magnetic Detacher
22	T057	PENCIL INK		AM&Rf Frequency: 58KHz/8.2MHz/Customize Dimension: 50x21x13mm(2.18x0.90x0.58") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.017cmb 8.46kgs Released by Magnetic Detacher
23	T074	INTERNAL LOCK		AM Frequency: 58KHz Dimension: Φ21x13mm(Φ0.83x0.51") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 2500pcs/carton 0.014cmb 9.6kgs Released by Magnetic Detacher
25	T109/P	F50		AM&RF Frequency: 58KHz/8.2MHz/Customize Dimension: Φ50x20mm(Φ1.97x0.79") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.041cmb 14.4kgs Released by Magnetic Detacher

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
26	T112	ALARM CONE		Frequency: 58KHz Dimension: Φ42x27mm(Φ1.65x1.06") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 1000pcs/carton 0.04cmb 10.05kgs Released by Magnetic Detacher
27	T121	X60 INK		RF Frequency: 8.2MHz/Customize Dimension: Φ60x19mm(Φ 2.36x0.82") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 500pcs/carton 0.049cmb 12.6kgs Released by Magnetic Detacher
28	T125	D40 INK		RF Frequency: 8.2MHz/Customize Dimension: Φ42x19mm(Φ1.65x00.82") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 500pcs/carton 0.022cmb 7.3kgs Released by Magnetic Detacher
29	T126	NEW GOLF INK TAG		RF Frequency: 8.2MHz/Customize Color: Transparent or Customize Lock: Standard or Super Packing: 500pcs/carton 0.031cmb 11.4kgs Released by Magnetic Detacher
30	T134	INK TAG		RF Frequency: 8.2MHz/Customize Dimension: Φ50x18mm(Φ1.97x0.71") Color: Black/Gray/White or Customize Lock: Standard or Super Packing: 500pcs/carton Released by Magnetic Detacher

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
31	T137	INK TAG		<p>Frequency: 8.2MHz/Customize Dimension: Φ50x20mm(Φ1.97x0.79") Color: Black/Gray/White or Customize Lock:Standard or Super Packing:500pcs/carton Released by Magnetic Detacher</p>
32	T137P	PIN		<p>Use with T137 Frequency: NO Dimension:Φ50x20mm(Φ1.97x0.79") Color: Gray/White or Customize Lock:depends on the matching tag Packing:500pcs/carton The releas mode depends on the T137</p>
33	SIG01			<p>Frequency: 8.2MHz/Customize Color: Gray/White or Customize Packing:500pcs/carton 0.019cmb 8.5kgs The releas mode depends on the T137</p>
34	SIG02			<p>Dimension: 30x22x18mm(1.18x0.87x0.71") Color: Black or Customize Lock:Standard or Super Packing:1000pcs/carton 0.019cmb 5.95kgs Released by Magnetic Detacher</p>
35	SIG03			<p>Frequency: 58KHz/Customize Dimension: 54x50x12mm(2.12x1.96x0.47") Color: Black or Customize Lock:Standard or Super Packing:500pcs/carton 0.032cmb 11.55kgs Released by Magnetic Detacher</p>
36	SIG04			<p>Dimension: 66x38x20mm(2.5x1.50x0.80") Color: Gray or Customize Lock:Standard or Super Packing:1000pcs/carton 0.043cmb 19.95kgs Released by Magnetic Detacher</p>

INK TAG

SN.	Item No.	Item Name	Picture	Specifications
37	SIG05			<p>Dimension: 99x39x18mm(3.89x1.53x0.71")</p> <p>Color: Black/Gray/White or Customize</p> <p>Lock:Standard or Super</p> <p>Packing:500pcs/carton 0.032cmb 6.8kgs</p> <p>Released by Magnetic Detacher</p>
38	SIG06			<p>Frequency: 8.2MHz/Customize</p> <p>Dimension: 48x44x22mm 1.9x1.7x0.8"</p> <p>Color: Black/Gray/White or Customize</p> <p>Lock:Standard or Super</p> <p>Packing:1000pcs/carton 0.039cmb 12.85kgs</p> <p>Released by Magnetic Detacher</p>
39	SIG07			<p>Frequency: NO</p> <p>Dimension: Φ35x21mm(Φ1.38x0.83')</p> <p>Color: Black/Gray/White or Customize</p> <p>Lock:Standard or Super</p> <p>Packing:1000pcs/carton 0.014cmb 5.6kgs</p> <p>Released by Magnetic Detacher</p>

BOTTLE TAG

SN.	Item No.	Item Name	Picture	Specifications
1	B001	BOTTLE TAG		<p>Frequency: RF/AM Dimension: φ36x30mm Color: Black or customized Lanyard: 140mm or customized Packing: 500pcs/carton 0.034CBM 11.25kgs</p>
2	B002	BOTTLE TAG		<p>Frequency: RF Dimension: φ56x33mm Color: Black or customized Lanyard: 160mm or customized Packing: 250pcs/carton 0.032CBM 6.45kgs</p>
3	B003	BOTTLE TAG		<p>Frequency: RF/AM Dimension: φ50x33mm Color: Black or customized Lanyard: 60mm,500mm,750mm or customized Packing: 250pcs/carton 0.032CBM 9.37kgs</p>
4	B004	BOTTLE TAG		<p>Frequency: RF/AM Dimension: φ50x32mm Color: Black or customized Packing: 250pcs/carton 0.032CBM 6.85kgs</p>
5	B006S	BOTTLE TAG		<p>Frequency: RF/AM Dimension: φ51x75mm Color: Black or customized Packing: 500pcs/carton 0.028CBM 7.6kgs</p>

BOTTLE TAG

SN.	Item No.	Item Name	Picture	Specifications
6	B007	BOTTLE TAG		Frequency: RF/AM Dimension: φ85x67mm Color: Black or customized Packing: 100pcs/carton 0.032CBM 5.35kgs
7	B008	BOTTLE TAG		Frequency: RF/AM Dimension: φ36x30x35mm Color: Black or customized Packing: 500pcs/carton 0.034CBM 11.15kgs
8	B009	BOTTLE TAG		Frequency: RF/AM Dimension: φ50x33mm Color: White or customized Packing: 250pcs/carton 0.032CBM 5.49kgs
10	B010	BOTTLE TAG		Frequency: RF/AM Dimension: φ56x33mm Color: Black or customized Packing: 250pcs/carton 0.032CBM 6.2kgs
11	B011	BOTTLE TAG		Frequency: RF/AM Dimension: φ50x35mm Color: White or customized Packing: 250pcs/carton 0.032CBM 5.4kgs

BOTTLE TAG

SN.	Item No.	Item Name	Picture	Specifications
12	B012	BOTTLE TAG		Frequency: RF/AM Dimension: φ76x42x64mm Color: Black or customized Packing: 100pcs/carton 0.032CBM 6.7kgs
13	B013	BOTTLE TAG		Frequency: RF/AM Dimension: φ88x64mm Color: Black or customized Packing: 100pcs/carton 0.039CBM 6.95kgs
14	B015	BOTTLE TAG		Frequency: RF/AM Dimension: φ50x37mm Color: White or customized Packing: 200pcs/carton 0.022CBM 4.2kgs
15	B016	BOTTLE TAG		Frequency: RF/AM Dimension: φ50x39mm Color: White or customized Packing: 500pcs/carton 0.043CBM 13.35kgs
16	B017	BOTTLE TAG		Sales by country and region

OPTICAL TAG

SN.	Item No.	Item Name	Picture	Specifications
1	OP001	OPTICAL TAG		<p>Frequency: RF/AM Dimension: 24.5x23x25.5mm(0.97x0.91x1.01') Color: Grey or customised Packing: 1000pcs/carton 0.019CBM 10.3kgs Released by dedicated Detacher</p>
2	OP002	OPTICAL TAG		<p>Frequency: RF/AM Dimension: 57x33mm(2.24x1.30") Color: Grey or customised Packing: 1000pcs/carton 0.038CBM 9.25kgs Released by dedicated Detacher</p>
3	OP003	OPTICAL TAG		<p>Frequency: RF/AM Dimension: 47x39x20mm(1.85x1.54x0.79") Color: Black or customised Released by dedicated Detacher</p>
4	OP004	OPTICAL TAG		<p>Frequency: RF/AM Dimension: 23x27x39mm(0.91x1.06x1.54") Color: Black, Grey or customised Packing: 1000pcs/carton 0.037CBM 10.95kgs Released by Magnetic Detacher</p>
5	OP005	OPTICAL TAG		<p>Frequency: RF/AM Dimension: 18x31x50mm(0.71x1.22x1.97") Color: Black, Grey or customised Packing: 1000pcs/carton 0.022CBM 10.65kgs Released by dedicated Detacher</p>


OPTICAL TAG

SN.	Item No.	Item Name	Picture	Specifications
6	OP006	OPTICAL TAG		Frequency: RF/AM Dimension: 19x31x51mm(0.75x1.22x2.01") Color: Black, Grey or customised Packing: 1000pcs/carton 0.022CBM 12.6kgs Released by Magnetic Detacher
7	K01	OPTICAL TAG		Frequency: RF/AM/AM&RF Length: 91mm(3.58") Max diameter: 15mm (0.59 ") Mini diameter: 3.5mm(0.14 ") Color: Black, or customised Weight: 35g OP001/OP005 dedicated Detacher

RF LABEL

SN.	Item No.	Picture	Specifications
1	RF-L01		<p>Dimension: 40x40mm (1.58x1.58")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.022CBM 11.5kgs</p>
2	RF-L02		<p>Dimension: 48x50mm (1.89x1.97")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.028CBM 14.8kgs</p>
3	RF-L03		<p>Dimension: 30x40mm (1.18x1.58")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.019CBM 8.9kgs</p>
4	RF-L04		<p>Dimension: 30x48mm (1.18x1.89")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.021CBM 11.8kgs</p>
4	RF-L05		<p>Dimension: ϕ40mm (ϕ 1.57")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.022CBM 9.8kgs</p>

RF LABEL

SN.	Item No.	Picture	Specifications
5	RF-L06		<p>Dimension: 32x58mm (1.26x2.28")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.030CBM 15kgs</p>
6	RF-L07		<p>Dimension: 46x43mm (1.81x1.69")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.028CBM 14kgs</p>
7	RF-L08		<p>Dimension: 30x33mm (1.18x1.3")</p> <p>Type: Deactivatable, Dummy barcode, Black, White</p> <p>Frequency: 8.2MHz or customized</p> <p>Detection range: Up to 5' (1.5m) in gate sensor</p> <p>Packing detail: 20000PCS/box 20 rolls 0.016CBM 8.6kgs</p>
8	RF-OP002		Sales by country and region




SOFT TAG

SN.	Item No.	Item Name	Picture	Specifications
1	S001	SOFT LABEL		<p>Frequency: 8.2Mhz Dimension: 54x46mm(2.13x1.81") Color: White, Dummy barcode or Customer's logo Packing:3000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>
2	S002	SOFT LABEL		<p>Frequency: 8.2Mhz Dimension: 73x63mm(2.88x2.49") Color: White, Dummy barcode or Customer's logo Packing:2000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>
3	S003	SOFT LABEL		<p>Frequency: 58khz Dimension: 60x20x3mm(2.37x0.79x0.12") Color: White, Dummy barcode or Customer's logo Packing:5000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>
4	S004	SOFT LABEL		<p>Frequency: 58khz Dimension: 58x11x3mm(2.29x0.43x0.12") Color: White, Dummy barcode or Customer's logo Packing:15000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>
5	S005	SOFT LABEL		<p>Frequency: 8.2Mhz Dimension: 53x39mm(2.09x1.54") Color: White, Dummy barcode or Customer's logo Packing:2000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>


SOFT TAG

SN.	Item No.	Item Name	Picture	Specifications
6	S007	DR LABEL		<p>Frequency: 58Khz Dimension: 58x11x2mm(2.29x0.43x0.08") Color: White,Dummy barcode or Customer's logo Packing: 10000pcs/carton 0.022cmb 5.95kgs Released by Deactivator</p>
7	S008	SOFT LABEL		<p>Frequency: 58Khz Dimension: 40x34x3mm 1.57x1.34x0.12'' Color: White,Dummy barcode or Customer's logo Packing: 2000pcs/carton 0.014cmb 4.0kgs Released by Deactivator</p>
8	S009			<p>Frequency: 58Khz Dimension: 66x20x3mm(2.59x0.78x0.12") Color: White,Dummy barcode or Customer's logo Packing: 2000pcs/carton 0.039cmb 9.4kgs Released by Deactivator</p>
9	S010			<p>Frequency: 58Khz Dimension: 70x29x6mm(2.76x1.14x0.23") Color: White,Dummy barcode or Customer's logo Packing: 1000pcs/carton 0.022cmb 6.6kgs Released by Deactivator</p>
10	S011			<p>Frequency: 58Khz Dimension: 70x29x6mm(2.76x1.14x0.23") Color: White,Dummy barcode or Customer's logo Packing: 10000pcs/carton 0.032cmb 9.05kgs Released by Deactivator</p>


DEACTIVATOR



SN.	Item No.	Item Name	Picture	Specifications
1	DE-A08C			Sales by country and region
2	DE-A10			Sales by country and region
3	DE-A018	Deactivator		<p>Dimension: 30.2x17.4x1.2cm Color: Black Weight: 415g Material: ABS Packing: 5pcs/carton 0.052CBM 16kgs</p>
4	DE-C003	Deactivator		Sales by country and region
5	DE-01	Deactivator		<p>Dimension: 30.6x25.6x0.8cm(12 x10.04 x0.31") Color: Black Material: ABS Packing: 5pcs/carton 0.037CBM 11.1kgs</p>
6	DE-02	Deactivator		<p>Color: Black Material: ABS Packing: 5pcs/carton 0.022CBM 5.25kgs</p>

DEACTIVATOR

SN.	Item No.	Item Name	Picture	Specifications
7	DE-03	Deactivator		Dimension: 24.45x24.45x2.22cm Color: Black Material: ABS Packing: 5pcs/carton 0.022CBM 5.45kgs
8	DE-05	Deactivator		Dimension: 30.6x25.6x0.8cm Color: Black Material: ABS Packing: 50pcs/carton 0.019CBM 12.45kgs

SN.	Item No.	Model	Picture	Specifications
1	SA001	CD SAFER		Frequency: RF/AM Dimension: 144x126x13mm(5.68x4.97x0.51") Lock: Standard or Super Packing: 100pcs/carton 0.032CBM 5.35kgs
2	SA002	DVD SAFER		Frequency: RF/AM Dimension: 191x141x19mm(7.53x5.56x0.75") Color: Black, Grey or customised Packing: 100pcs/carton 0.083CBM 9.15kgs
3	SA003	OPTICAL TAG		Sales by country and region
4	SA004	OPTICAL TAG		Sales by country and region
5	SA005	DEDICATED DETACHER		Sales by country and region
6	SA006	DOUBLE BATTERIES		Frequency: RF/AM Internal Dimension: 79.1x110x32.2mm(3.12x4.34x1.27") External Dimension: 161x116.5x56mm(6.35x4.60x2.21") Lock: Standard or Super Packing: 100pcs/carton 0.069CBM 10kgs





SN.	Item No.	Model	Picture	Specifications
7	SA007	BIG MULTI-FUNCTION		Frequency: RF/AM Internal Dimension: 150.5x118.5x43.2mm(5.94x4.67x1.70") External Dimension: 231x122.6x50mm(9.11x4.84x1.97") Lock: Standard or Super Packing: 100pcs/carton 0.144CBM 16.5kgs
8	SA008	DS SAFER		Frequency: RF/AM Dimension: 150x147x30mm(5.92x5.80x1.18") Lock: Standard or Super Packing: 100pcs/carton 0.075CBM 7.9kgs
9	SA009	PS3 SAFER		Frequency: RF/AM Dimension: 200x140x21mm(7.89x5.52x0.83") Lock: Standard or Super Packing: 100pcs/carton 0.079CBM 13.5kgs
10	SA010			Sales by country and region
11	SA011	PSP SAFER		Frequency: RF/AM Dimension: 205x110x21mm(8.09x4.34x0.83") Lock: Standard or Super Packing: 100pcs/carton 0.062CBM 8.5kgs
12	SA012	VACUUM CUP		Frequency: RF/AM Internal Dimension: 150x100x250mm(5.92x3.94x9.86") External Dimension: 160x130x265mm(6.31x5.13x10.45") Lock: Standard or Super Packing: 20pcs/carton 0.109CBM 10kgs

SN.	Item No.	Model	Picture	Specifications
13	SA013	VACUUM CUP		Frequency: RF/AM Internal Dimension: 120x120x300mm(4.73x4.73x11.83") External Dimension: 130x150x315mm(5.13x5.92x12.43") Lock: Standard or Super Packing: 20pcs/carton 0.126CBM 11.5kgs
14	SA014	SINGLE BATTERY		Frequency: RF/AM Internal Dimension: 79.6x110x18.5mm(3.14x4.34x0.73") External Dimension: 161.5x114x43.4mm(6.37x4.50x1.71") Lock: Standard or Super Packing: 20pcs/carton 0.126CBM 11.5kgs

PIN

SN.	Item No.	Item Name	Picture	Specifications
1	P01	FLAT HEAD PIN		Flat Head Φ 11mm (Φ 0.43") Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94") Surface: Smooth or Grooves Packing: 10000pcs/carton 0.013CBM 14.4kgs
2	P02	SWIVEL HEAD PIN		Swivel Head Φ 12mm (Φ 0.47") Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94") Surface: Smooth or Grooves Packing: 10000pcs/carton 0.014CBM 17kgs
3	P03	CONE HEAD PIN		Cone Head Φ 16mm (Φ 0.63") Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94") Color: Gray,White, Beige or customized Surface: Smooth or Grooves Packing: 10000pcs/carton 0.040CBM 9.45kgs
4	P04	DOME HEAD PIN		Dome Head Φ 16mm (Φ 0.63") Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94") Surface: Smooth or Grooves Packing: 10000pcs/carton 0.023CBM 22.5kgs
5	P05	CONE HEAD PIN		Cone Head Φ 14mm (Φ 0.55") Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94") Surface: Smooth or Grooves Packing: 10000pcs/carton 0.023CBM 20.2kgs

SN.	Item No.	Item Name	Picture	Specifications
6	P06	GENERAL HEAD PIN		<p>General Head $\Phi 20\text{mm}$ ($\Phi 0.79''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 10000pcs/carton 0.040CBM 13.7kgs</p>
7	P07	GENERAL HEAD PIN		<p>General Head $\Phi 16\text{mm}$ ($\Phi 0.63''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 15000pcs/carton 0.040CBM 13.5kgs</p>
8	P08	DOME HEAD PIN		<p>Dome Head $\Phi 18.5\text{mm}$ ($\Phi 0.73''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 5000pcs/carton 0.023CBM 21.15kgs</p>
9	P09	DOME HEAD PIN		<p>Dome Head $\Phi 17\text{mm}$ ($\Phi 0.67''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 10000pcs/carton 0.047CBM 13.2kgs</p>
10	P10	FLAT HEAD PIN		<p>Flat Head $\Phi 13\text{mm}$ ($\Phi 0.51''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 10000pcs/carton 0.014CBM 5kgs</p>

SN.	Item No.	Item Name	Picture	Specifications
11	P11			<p>Flat Head $\Phi 12\text{mm}$ ($\Phi 0.47''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Surface: Smooth or Grooves</p>
12	P12			<p>Dome Head $\Phi 22\text{mm}$ ($\Phi 0.87''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p> <p>Packing: 2000pcs/carton 0.022CBM 10.00kgs</p>
13	P13			Sales by country and region
14	P14			<p>Dome Head $\Phi 20\text{mm}$ ($\Phi 0.79''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p>
15	P15			Sales by country and region
16	P16			<p>Dome Head $\Phi 20\text{mm}$ ($\Phi 0.79''$)</p> <p>Length: 16mm/19mm/21mm/24mm(0.63"/0.75' / 0.83"/0.94")</p> <p>Color: Gray,White, Beige or customized</p> <p>Surface: Smooth or Grooves</p>

SN.	Item No.	Item Name	Picture	Specifications
17	P1H			Dimension: 29x19x2.5mm(1.14x0.75x0.10") use with P12